




F Type RF Coaxial Connector Series

F type joining devices use for 75 cable assign system, especially CATV, broadcast television network, It can already be used for having impedance to mate the occasion required, can be used in not mating the occasion too. It is joined, inserts helping jointly that its characteristic is whorl, the price is suitable.

F type joining devices can exchange and use with the similar products in the world. FL10 products are M10X0.75 whorl, the structure, performance are the same as F type.

Interface Mating Dimensions



Code	Plug	
	Millimeters	
	Min	Max
A	4.95	6.86
B	-	7.29
C	-	0.25
D	0.5	1.63
E	-	12.95
F	-	3.80

Code	Jack	
	Millimeters	
	Min	Max
A	0.51	1.63
B	3.86	-
C	0.30	-
D	5.56	-
E	7.00	-
F	7.59	-
G	-	4.70

Technical Specifications

Temp. Range	-40 ~ +60	Vibration	100m/s ² (10-500Hz)
Impedance	75	VSWR	Straight 1.20
Frequency Range	DC ~ 1GHZ		Right Angle 1.30
Working Voltage	170V Max	Durability (mating)	≥ 500 (cycles)
Contact Resistance	Center Contact 10 m	Withstand Voltage	00V rms
	Outer Contact 5 m	Insulation Resistance	≥ 1000M

Material & Plating

Shell	Brass	Nickel plated
Elastic contact	Beryllium or Tin Brass	Gold or Silver plated
Contact Pin	Brass	Gold or Silver plated
Insulator	PTFE	
Crimping suite	Copper Alloy	Nickel or Gold plated
O-ring Sealing	6146 Silastic	

Applicable Standard

IEC 60169-24

RF Coaxial Connector for Flexible Cable

Item Number: FL10-C-75J1.5

Cable Type SYV-75-2
SFF-75-1.5-1




Item Number: FL10-C-75J1.5
-1/1.5-2

Cable Type SYV-75-2
SFF-75-1.5-1



Item Number: F-C-75J2

Cable Type SYV-75-2-2



Item Number: F-C-75J3

Cable Type SYV-75-3



Item Number: F-75J5-1(T-1)

Cable Type SYV-75-5-1
SYV-75-5-2
SFF-75-5



Item Number: F-C-75J3-1

Cable Type SYV-75-3




Item Number: F-C-75JW3

Cable Type SYV-75-3



Item Number: F-C-75KY1.5


Cable Type SYV-75-2
SFF-75-1.5-1



RF Coaxial Connector for Flexible Cable


Item Number: F-75J-1

Cable Type (用户自配)




Item Number: F-75K-3

Cable Type (用户自配)




RF Coaxial Bulkhead Mount Connector


Item Number: F- 75KY




Item Number: F- 75KY-1




Item Number: FL10- 75KY



Item Number: F- 75KY-M




Item Number: F- 75K-8




RF Coaxial Special Connector For Antenna

Item Number: F- J-M6




RF Coaxial Special Connector For Antenna

Item Number: F- J315




Item Number: F 型防水座




Within-type Adaptors


Item Number: F- 75KK




Item Number: FL10- 75KK



Item Number: F/FL10-75JK



Item Number: F- KKY



Item Number: FL10-KKY

